

EQIPP: Immunizations – Strategies for Success (19-24moTrack)

At Baseline: Pull 20 charts of 24 -month old patients seen in your practice. By their 24-month visit did the following happen:

The ages of 19-24 months were chosen to help identify areas in practice that could be improved and lead to fewer missed opportunities.

At Follow up: Use this tool for the next 20 charts of 19-24 month-old patients seen in your practice and answer the following:

The ages of 19-24 months were chosen to help identify areas in practice that could be improved and lead to fewer missed opportunities

Aim	Data Collection Question	Measure	Goal
<p>Key Activity: Develop Effective Office Practices to Increase Your Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>1. Does a complete immunization record exist in the medical record or state immunization registry? <input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p><u>Name</u> % of patients who have a complete immunization record exist in the medical record or state immunization registry</p> <p><u>Source</u> Question #1, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients who have a complete immunization record exist in the medical record or state immunization registry ("Yes" answer to question #1)</p> <p>Denominator (y): Total number of charts in chart set</p>	100%
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>2. How many doses of the Hepatitis B vaccine has the patient received? <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3</p> <p>2a. If series not complete, select one of the following reasons: <input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications</p>	<p><u>Name</u> % of patients having completed Hepatitis B vaccine (3 doses)</p> <p><u>Source</u> Question #2, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients % of patients having completed Hepatitis B vaccine (3 doses), answer to question #2</p> <p>Denominator (y): Total number of charts in chart set minus "Unable, due to vaccine shortage or acceptable medical contraindications", answer to question #2a</p>	100%

EQIPP: Immunizations – Strategies for Success (19-24moTrack)

Aim	Data Collection Question	Measure	Goal
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>3. How many doses of the Rotavirus vaccine has the patient received? <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 (2nd of a 2 dose series) <input type="checkbox"/> 2 (2nd of a 3 dose series) <input type="checkbox"/> 3</p> <p>3a. If series not complete, select one of the following reasons: <input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications</p>	<p><u>Name</u> % of patients having completed the Rotavirus vaccine (3 doses of Rotateq, or 2 doses of Rotarix)</p> <p><u>Source</u> Question #3, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having completed Rotavirus vaccine (2 “2nd dose of a 2 dose series” answer option or “3” answer option)</p> <p>Denominator (y): Total number of charts in chart set minus “Unable, due to vaccine shortage or acceptable medical contraindications” answer to question #3a</p>	100%
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>4. How many doses of the DTaP vaccine has the patient received? <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4</p> <p>4a. If series not complete, select one of the following reasons: <input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications</p>	<p><u>Name</u> % of patients having initiated the DTaP vaccine series (4 doses)</p> <p><u>Source</u> Question #4a, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having initiated DTaP vaccine (4 doses of DTAP) answer to question 4</p> <p>Denominator (y): Total number of charts in chart set minus “Unable, due to vaccine shortage or acceptable medical contraindications” answer to question #4a</p>	100%

EQIPP: Immunizations – Strategies for Success (19-24moTrack)

Aim	Data Collection Question	Measure	Goal
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>5. How many doses of the Varicella vaccine has the patient received?</p> <p><input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> Evidence of Immunity</p> <p>5a. If series not complete, select one of the following reasons:</p> <p><input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications</p>	<p><u>Name</u> % of patients having completed the Varicella vaccine (at least 1 dose or evidence of immunity)</p> <p><u>Source</u> Question #5, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having completed the Varicella vaccine (at least 1 dose or evidence of immunity) answer to question #5</p> <p>Denominator (y): Total number of charts in chart minus “Unable, due to vaccine shortage or acceptable medical contraindications”, answer to question #5a</p>	100%
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>6. How many doses of the Hib vaccine has the patient received?</p> <p><input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4</p> <p>6a. If series not complete, select one of the following reasons:</p> <p><input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications</p>	<p><u>Name</u> % of patients having completed the Hib vaccine (3 or 4 doses)</p> <p><u>Source</u> Question #6, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having completed the Hib vaccine (3 or 4 doses) answer to question #6</p> <p>Denominator (y): Total number of charts in chart set minus “Unable, due to vaccine shortage or acceptable medical contraindications” answer to question #6a</p>	100%

EQIPP: Immunizations – Strategies for Success (19-24moTrack)

Aim	Data Collection Question	Measure	Goal
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>7. How many doses of the PCV vaccine has the patient received? <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4</p> <p>7a. If series not complete, select one of the following reasons: <input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications</p>	<p><u>Name</u> % of patients having initiated the PCV vaccine series (4 doses)</p> <p><u>Source</u> Question #7, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having completed all PCV vaccine doses (4 doses) answer in question #7</p> <p>Denominator (y): Total number of charts in chart set minus “Unable, due to vaccine shortage or acceptable medical contraindications” answer to question #7a</p>	100%
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>8. How many doses of the IPV vaccine has the patient received? <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3</p> <p>8a. If series not complete, select one of the following reasons: <input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications</p>	<p><u>Name</u> % of patients having completed all IPV vaccine (3 doses)</p> <p><u>Source</u> Question #8, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having completed all vaccine doses (3 doses) answer in question #8</p> <p>Denominator (y): Total number of charts in chart set minus “Unable, due to vaccine shortage or acceptable medical contraindications” answer to question #7</p>	100%

EQIPP: Immunizations – Strategies for Success (19-24moTrack)

Aim	Data Collection Question	Measure	Goal
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>9. How many doses of the MMR vaccine has the patient received? <input type="checkbox"/> 0 <input type="checkbox"/> 1</p> <p>9a. If series not complete, select one of the following reasons: <input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications</p>	<p><u>Name</u> % of patients having received at least 1 dose of the MMR vaccine</p> <p><u>Source</u> Question #9, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having completed the MMR Vaccine (at least 1 dose) answer in question #9</p> <p>Denominator (y): Total number of charts in the chart set minus “Unable, due to vaccine shortage or acceptable medical contraindications” answer to question #9a</p>	100%
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>10. How many doses of the Hepatitis A vaccine has the patient received? <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2</p> <p>10a. If series not complete, select one of the following reasons: <input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications</p>	<p><u>Name</u> % of patients having initiated the Hepatitis A vaccine series (2 dose)</p> <p><u>Source</u> Question #10, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having completed all Hepatitis A doses (2 doses) answer in question #10</p> <p>Denominator (y): Total number of charts in chart minus “Unable, due to vaccine shortage or acceptable medical contraindications”, answer to question #10a</p>	100%

EQIPP: Immunizations – Strategies for Success (19-24moTrack)

Aim	Data Collection Question	Measure	Goal
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>11. Has the patient received the Influenza vaccine for the current flu season?</p> <p>[] Yes [] No</p> <p>11a. If no, select one of the following reasons:</p> <p>[] Parent Refusal [] Vaccine Shortage [] Acceptable Medical Contraindications</p>	<p>Name % of patients having received the flu vaccine for the current flu season</p> <p>Source Question #11, shown in column at left</p> <p>Definition Numerator (x): Total number of patients having completed the influenza vaccine in the current or for the current flu season ("Yes" answer to question #11)</p> <p>Denominator (y): Total number of charts in chart minus "Unable, due to vaccine shortage or acceptable medical contraindications" answer to question #11a</p>	100%