

EQIPP: Immunizations – Strategies for Success (Adolescent Track)

At Baseline: Use this tool for the next 10 charts for 13 year olds and the next 10 charts for 17 year olds seen in your practice. Exclude immunocompromised patients.

At Follow up: Use this tool for the next 10 charts for 13 year olds and next 10 charts for 17 year olds seen in your practice. Exclude immunocompromised patients.

The ages, 13-17 year olds were chosen to align with the National Immunization Survey (NIS) data for benchmarking. This is to help identify areas in practice that could be improved and lead to fewer missed opportunities.

Aim	Data Collection Question	Measure	Goal
	1. Age <input type="checkbox"/> 13 years <input type="checkbox"/> 17 years	Not Measured	
	2. Gender <input type="checkbox"/> Male <input type="checkbox"/> Female	Not Measured	
Key Activity: Develop Effective Office Practices to Increase Your Immunization Rates Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.	3. Does a complete immunization record exist in the medical record or state immunization registry? <input type="checkbox"/> Yes <input type="checkbox"/> No	<u>Name</u> % of patients who have a complete immunization record exist in the medical record or state immunization registry <u>Source</u> Question #3, shown in column at left <u>Definition</u> Numerator (x): Total number of patients who have a complete immunization record exist in the medical record or state immunization registry ("Yes" answer to question #3) Denominator (y): Total number of charts in chart set	100%

EQIPP: Immunizations – Strategies for Success (Adolescent Track)

Aim	Data Collection Question	Measure	Goal
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>4. For 13 year olds: Has the patient received the <u>Tdap vaccine</u> (1 dose)? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>4a. If no, select one of the following reasons: <input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications</p>	<p><u>Name</u> % of 13-year-old patients having received the Tdap vaccine (1 dose)</p> <p><u>Source</u> Question #4, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having received Tdap vaccine (1 dose) ("Yes" answer to question #4) Denominator (y): Total number of charts in chart set minus vaccine shortage or acceptable medical contraindications in question 4a</p>	100%
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>5. Has this patient received the 1st dose of the <u>meningococcal (MenACWY) vaccine</u>? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>5a. If no, select one of the following reasons: <input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications</p>	<p><u>Name</u> % of patients having received the 1st dose of the <u>meningococcal (MenACWY) vaccine</u></p> <p><u>Source</u> Question #5, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having received the 1st dose of the <u>meningococcal (MenACWY) vaccine</u> ("Yes" answer to question #5) Denominator (y): Total number of charts in chart set minus vaccine shortage or acceptable medical contraindications in question 5a</p>	100%

EQIPP: Immunizations – Strategies for Success (Adolescent Track)

Aim	Data Collection Question	Measure	Goal
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>6. For 17 year olds: Has this patient received the 2nd dose of the <u>meningococcal</u> (MenACWY) vaccine? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>6a. If no, select one of the following reasons: <input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications <input type="checkbox"/> Not Applicable, 1st dose administered at age 16 or older</p>	<p><u>Name</u> % of patients having received the 2nd dose of the <u>meningococcal</u> (MenACWY) vaccine</p> <p><u>Source</u> Question #6, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having received the 2nd dose of the <u>meningococcal</u> (MenACWY) vaccine ("Yes" answer to question #6)</p> <p>Denominator (y): Total number of charts in chart set minus vaccine shortage or acceptable medical contraindications in question 6a</p>	100%
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>7. Has this patient received the 1st dose of the HPV vaccination series? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>7a. If no, select one of the following reasons THEN skip to question 10: <input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications</p>	<p><u>Name</u> % of patients having received the 1st dose of the HPV vaccination series</p> <p><u>Source</u> Question #7, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having received the 1st dose of the HPV vaccination series ("Yes", answer to question #7)</p> <p>Denominator (y): Total number of charts in chart set minus vaccine shortage or acceptable medical contraindications in question 7a</p>	100%

EQIPP: Immunizations – Strategies for Success (Adolescent Track)

Aim	Data Collection Question	Measure	Goal
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>7b. If yes to question 7a: When was the patient's 1st dose of HPV vaccine administered? <input type="checkbox"/> Before age 15 <input type="checkbox"/> Age 15 or older</p>	<p>Not Measured</p>	
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>8. Has this patient received the 2nd dose of the HPV vaccination series? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>8a. If no, select one of the following reasons: <input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications <input type="checkbox"/> Dose not due</p>	<p><u>Name</u> % of patients having received the 2nd dose of the HPV vaccination series before age 15</p> <p><u>Source</u> Question #7, #7b and #8, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having received the 2nd dose of the HPV vaccination series before age 15, (Yes answer to #8)</p> <p>Denominator (y): Total number of charts that received 1st dose before age 15 (7b) and (Yes answer to 7) minus vaccine shortage or acceptable medical contraindications or dose not due in question 8a</p>	100%

EQIPP: Immunizations – Strategies for Success (Adolescent Track)

Aim	Data Collection Question	Measure	Goal
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>First dose administered before age 15</p> <p>9. If yes to 7 AND 1st dose administered before age 15 (7b): Was the recommended immunization schedule (2 doses of HPV vaccine at 0, 6- 12 months) followed?</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Dosed according to 3-dose schedule</p>	<p><u>Name</u> % of patients following the recommended immunization schedule (2 doses of HPV vaccine at 0, 6- 12 months) before age 15</p> <p><u>Source</u> Question #7 and #7b, 8 and #9, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having followed the recommended immunization schedule (2 doses of HPV vaccine at 0, 6- 12 months) before age 15 (Yes answer to question 9)</p> <p>Denominator (y): Total number of charts that received 1st dose before age 15 (7b.) and (Yes answer to 7)</p>	100%
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>First dose administered at age 15 or older</p> <p>10. If yes to 7 AND 1st dose administered at age 15 or older (7b): Has this patient received the 3rd dose of the HPV vaccination series?</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>10a. If no, select one of the following reasons:</p> <p><input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications <input type="checkbox"/> Dose not due</p>	<p><u>Name</u> % of patients having received the 3rd dose of the HPV vaccination series</p> <p><u>Source</u> Question #7 and #7b and #10, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having received the 3rd dose of the HPV vaccination series ("Yes" answer to question #10)</p> <p>Denominator (y): Total number of charts that received 1st dose before age 15 (7b) and (Yes answer to 7) minus vaccine shortage or acceptable medical contraindications or dose not due in question 10a</p>	100%

EQIPP: Immunizations – Strategies for Success (Adolescent Track)

Aim	Data Collection Question	Measure	Goal
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>11. If yes to 10 AND 1st dose administered at age 15 years or older: Was the recommended immunization scheduled (3 doses of HPV vaccine at 0, 1-2, 6 months) followed?</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p><u>Name</u> % of patients having followed the recommended immunization scheduled (3 doses of HPV vaccine at 0, 1-2, 6 months)</p> <p><u>Source</u> Question #7 and #7b and #11, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having followed the recommended immunization scheduled (3 doses of HPV vaccine at 0, 1-2, 6 months) ("Yes", answer to question #11)</p> <p>Denominator (y): Total number of charts that received 1st dose at age 15 years or older (7b) AND received 3rd dose of HPV vaccination series ("Yes" answer to question 11)</p>	100%
<p>Key Activity: Develop Effective Office Practices to Increase Immunization Rates</p> <p>Aim: Establish, document, and implement practice policies and procedures that maximize opportunities to immunize while reducing potential barriers due to office policies to attain 100% compliance with the recommended immunization schedule for all patients.</p>	<p>12. Has the patient received the Influenza Vaccine for the current flu season?</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>12a. If no, select one of the following reasons:</p> <p><input type="checkbox"/> Parent Refusal <input type="checkbox"/> Vaccine Shortage <input type="checkbox"/> Acceptable Medical Contraindications</p>	<p><u>Name</u> % of patients having received the flu vaccine for the current flu season</p> <p><u>Source</u> Question #12, shown in column at left</p> <p><u>Definition</u> Numerator (x): Total number of patients having received the flu vaccine for the current flu season (Yes answer to question #12)</p> <p>Denominator (y): Total number of charts in chart minus vaccine shortage or acceptable medical contraindications in question 12a</p>	100%